

R-MER LOC STANDING SEAM PROFILE -STRAIGHT


Technical Data Sheet



Product Description

- Metal roofing system with construction width 500, 400, 333 mm –special construction width 600 mm
- Can be used from 1.5° roof pitch according to European Technical Assessments (ETA`s) with CE-marking for steel and aluminium.
- Titanium-zinc, copper and special colours/surfaces are optional.

Product Illustrations



R-MER LOC
Construction width = 500mm



R-MER LOC
Construction Width = 400mm



R-MER LOC
Construction width = 333mm

Accessories

- Sliding clips: various types as fixing elements, fixing screws
- (Ventilation)closure, profile filler, suspended profiles.
- Solar brackets, snow guard brackets, tread support
- Fall arrest system: as rope system, single anchor point.
- Green roof system, solar film



Garland UK

Second Way Centre, Second Way,
Bristol, BS11 8DF
+44 (0)1174 401050
info@garlandukltd.co.uk
www.garlandukltd.co.uk

Issue date: 25/05/2021

R-MER LOC STANDING SEAM PROFILE -STRAIGHT

Technical Data Sheet



Technical Details:

Profile Height (mm)	Material acc. To EN 10346 (steel) or EN 573-3 (aluminium)	Material Thickness (mm)	Weight, Construction width 500mm (kg/m ²)	Material, Corrosion protection EN 55634 (steel)	European Technical Assessment number (ETA)
67	steel S320GD / S350GD	0.63	6.81	aluminium zinc coating AZ185	ETA-17/1068
67	steel S320GD / S350GD	0.63	6.76	Z275/ZM colour coated $\geq 25\mu\text{m}$	ETA-17/1068
67	aluminium EN AW 3004/3005/3105	0.70	2.53	blank and stucco-embossed	ETA-17/1069
67	aluminium EN AW 3004/3005/3105	0.80	2.89	blank and stucco-embossed	ETA-17/1069
67	aluminium EN AW 3004/3005/3105	0.90	3.26	blank and stucco-embossed	ETA-17/1069
67	aluminium EN AW 3004/3005/3105	1.00	3.62	blank and stucco-embossed	ETA-17/1069
67	aluminium EN AW 3004/3005/3105	0.70	2.66	smooth, colour coated $\geq 25\mu\text{m}$	ETA-17/1069
67	aluminium EN AW 3004/3005/3105	0.80	3.02	smooth, colour coated $\geq 25\mu\text{m}$	ETA-17/1069
67	aluminium EN AW 3004/3005/3105	0.90	3.39	smooth, colour coated $\geq 25\mu\text{m}$	ETA-17/1069
67	aluminium EN AW 3004/3005/3105	1.00	3.75	smooth, colour coated $\geq 25\mu\text{m}$	ETA-17/1069

If you require any further information please contact your local Garland Technical Manager.



Garland UK

Second Way Centre, Second Way,
Bristol, BS11 8DF
+44 (0)1174 401050
info@garlandukltd.co.uk
www.garlandukltd.co.uk

Issue date: 25/05/2021